



| Position | Amount | Type number | Description | PG |
|----------|--------|-------------|----------------------------|----|
| 1 | 1 | 627288000 | Depth stop | |
| 2 | 1 | 314000550 | Handle | 18 |
| 3 | 1 | 141116160 | Hexagon head screw | 12 |
| 4 | 1 | 342007800 | Pressure spring | 12 |
| 5 | 1 | 343364910 | Locking bushing | 12 |
| 6 | 1 | 343359780 | Clamping piece | 17 |
| 7 | 1 | 314000630 | Supporting handle cpl. | 25 |
| 8 | 2 | 341702190 | Tight-fit screw plast. 45 | 12 |
| 9 | 1 | 316024090 | Gear housing cpl. | 38 |
| 12 | 1 | 141153750 | Supporting disc | 12 |
| 13 | 2 | 143111430 | Needle sleeve | 17 |
| 14 | 1 | 316036080 | Intermediate gear cpl. | 41 |
| 16 | 1 | 316020620 | Piston cpl. | 26 |
| 17 | 1 | 143192400 | O-ring | 12 |
| 18 | 1 | 341055960 | Damping ring | 15 |
| 19 | 1 | 316024100 | Catching sleeve cpl. | 29 |
| 20 | 1 | 143193920 | O-ring | 18 |
| 21 | 1 | 141181840 | Circlip | 10 |
| 22 | 1 | 316024120 | Drilling sleeve cpl. | 45 |
| 23 | 1 | 344093140 | Sealing ring | 16 |
| 24 | 1 | 316017660 | Striker cpl. | 30 |
| 25 | 1 | 341054150 | Exciter sleeve | 28 |
| 26 | 1 | 320050200 | Ball holder | 15 |
| 27 | 1 | 344095020 | SEAL | 13 |
| 28 | 1 | 316026140 | Gear flange cpl. | 35 |
| 29 | 2 | 141119440 | Fill. head screw(DIN 7985) | 10 |
| 30 | 1 | 344092950 | Rubber cap | 18 |
| 31 | 1 | 342021040 | Torsion spring | 12 |
| 32 | 1 | 141180120 | Retaining ring | 12 |
| 33 | 1 | 343361680 | Adjusting ring | 27 |
| 34 | 2 | 143120320 | Ball | 11 |
| 35 | 1 | 342001560 | Tension-spring ring | 14 |
| 36 | 1 | 343361690 | Spacer ring | 12 |
| 37 | 1 | 341702380 | Cap screw | 10 |
| 38 | 1 | 316023850 | Control knob cpl. | 16 |
| 39 | 1 | 143190060 | O-ring | 10 |
| 40 | 1 | 141151130 | Washer | 12 |
| 41 | 1 | 316024150 | Shift bolt cpl. | 24 |
| 42 | 1 | 341702650 | Flat headed screw | 10 |
| 43 | 3 | 339123780 | Washer | 10 |
| 44 | 2 | 143114280 | Axial needle bearing | 18 |

| | | | | |
|------|---|-----------|----------------------------|----|
| 46 | 3 | 141154920 | Cup spring | 12 |
| 47 | 1 | 316023870 | Intermediate gear cpl. | 46 |
| 48 | 1 | 316023860 | Shift element | 25 |
| 49 | 1 | 338037130 | Rating plate | 12 |
| 50 | 7 | 141116020 | Self-tap fill h screw | 12 |
| 51 | 1 | 343368480 | Housing with cover | 34 |
| 52 | 1 | 343364720 | Sealing washer | 11 |
| 53 | 1 | 143114880 | Ball bearing, 8x22x7 | 19 |
| 54 | 1 | 317001780 | Motor 12V cpl. | 48 |
| 55 | 1 | 343368510 | Motor flange | 14 |
| 56 | 1 | 343405840 | Switch | 36 |
| 57 | 2 | 344092220 | Rubber plug | 10 |
| 58 | 1 | 338111830 | Indication label | 14 |
| 59 | 1 | 141130660 | Square nut | 10 |
| 60 | 1 | 141118960 | Self-tap. fill. h. screw | 10 |
| 62 | 1 | 316021290 | Retain spring w.bit holder | 21 |
| 65 | 2 | 141116840 | Self-tap. fill. h. screw | 10 |
| 66 | 2 | 342021450 | Flat spring | 13 |
| 68 | 1 | 343368490 | Drill bit container | 18 |
| 69 | 1 | 339006190 | Washer | 10 |
| 70 | 1 | 338118370 | Metabo Label 99 | 10 |
| 73 | 1 | 143194640 | O-ring | 12 |
| 880 | 1 | 344130800 | Grease FG 126 | 23 |
| 1001 | 1 | 338501480 | Diagram | |

