



| Position | Amount | Type number | Description | PG |
|----------|--------|-------------|----------------------------|----|
| 1 | 1 | 316029590 | Adaptor SDS -PLUS | 37 |
| 2 | 1 | 143194910 | Shaft sealing ring | 12 |
| 3 | 1 | 143113830 | Needle sleeve | 26 |
| 4 | 1 | 316030530 | Gear housing cpl. | 39 |
| 5 | 1 | 141153750 | Supporting disc | 12 |
| 6 | 1 | 342002690 | Pressure spring | 16 |
| 7 | 1 | 343374440 | Retaining ring | 10 |
| 8 | 1 | 338114490 | Indication label | 12 |
| 9 | 3 | 141122490 | Self-tap. fill. h. screw | 12 |
| 10 | 1 | 316029510 | Sliding block | 25 |
| 11 | 1 | 316030560 | Drill driving sleeve cpl. | 40 |
| 13 | 1 | 316030580 | Intermediate striker cpl. | 25 |
| 14 | 1 | 143192400 | O-ring | 12 |
| 15 | 1 | 341012550 | Supporting ring | 14 |
| 16 | 1 | 143193910 | O-ring | 12 |
| 17 | 1 | 316030570 | Catching sleeve cpl. | 29 |
| 18 | 1 | 143193920 | O-ring | 18 |
| 19 | 1 | 141181840 | Circlip | 10 |
| 20 | 1 | 316017660 | Striker cpl. | 30 |
| 21 | 1 | 344093140 | Sealing ring | 16 |
| 22 | 1 | 341055770 | Exciter sleeve | 27 |
| 23 | 1 | 320050480 | Ball holder | 14 |
| 24 | 1 | 344095570 | Seal | 12 |
| 25 | 1 | 316030540 | Gear flange cpl. | 33 |
| 26 | 1 | 344070670 | Felt seal | 10 |
| 27 | 1 | 344095920 | Rubber buffer | 10 |
| 28 | 1 | 316032620 | Control knob cpl. | 21 |
| 29 | 3 | 339129610 | Washer | 10 |
| 30 | 2 | 143114280 | Axial needle bearing | 18 |
| 31 | 3 | 141154920 | Cup spring | 12 |
| 32 | 1 | 340003230 | Coupling sleeve | 24 |
| 33 | 1 | 316030480 | Intermediate gear cpl. | 42 |
| 34 | 1 | 316029560 | Shift element | 23 |
| 35 | 2 | 141119440 | Fill. head screw(DIN 7985) | 10 |
| 36 | 1 | 341511630 | Depth stop | 16 |
| 37 | 1 | 314000770 | Support handle compl. | 28 |
| 38 | 1 | 343376040 | Sealing ring | 12 |
| 39 | 1 | 143114880 | Ball bearing, 8x22x7 | 19 |
| 40 | 1 | 301002190 | Futuro plus ring S2M 13 mm | 35 |
| 41 | 1 | 310007870 | Armature cpl. 120V | 43 |
| 42 | 1 | 143114750 | Ball bearing, 6X 19X 6 | 21 |

| | | | | |
|------|---|-----------|-------------------------------|----|
| 43 | 1 | 343374270 | Intermediate flange | 18 |
| 44 | 1 | 338042870 | Rating plate | 10 |
| 45 | 1 | 343374280 | Cover w.o. electronic | 18 |
| 46 | 1 | 343406930 | Electronic switch 120V | 30 |
| 47 | 5 | 141117060 | Self-tap. fill. h. screw | 12 |
| 48 | 1 | 343393030 | Drill Handle w/overmold green | 22 |
| 49 | 1 | 343362490 | Cable clip | 12 |
| 50 | 1 | 143192430 | O-ring | 12 |
| 51 | 2 | 141118260 | Self-tap. fill. h. screw | 10 |
| 52 | 1 | 311009830 | Field coil 120V | 31 |
| 53 | 1 | 315012650 | Motor housing | 24 |
| 54 | 1 | 338122160 | M-Label,08 52x22 | 10 |
| 55 | 1 | 316028100 | Brush holder module | 27 |
| 56 | 1 | 343253780 | Interference suppr. cond. | 16 |
| 57 | 1 | 344494030 | Cable with UI-CSA-plug | 27 |
| 59 | 1 | 344101140 | Cable sleeve | 13 |
| 60 | 1 | 316034940 | Brush with holder,230V/120V | 24 |
| 61 | 1 | 316032030 | Maintenance kit | 47 |
| 62 | 1 | 341703360 | Cap screw | 17 |
| 63 | 1 | 316032390 | Adaptor | 33 |
| 64 | 1 | 339130980 | Butting sheet | 10 |
| 65 | 1 | 343376750 | Seal | 12 |
| 66 | 2 | 338115410 | Indication label | 10 |
| 67 | 1 | 338115880 | Warning label | 15 |
| 68 | 1 | 341012630 | Ring | 12 |
| 69 | 1 | 316035730 | Fan w. prot. Grid | 18 |
| 70 | 1 | 316029600 | SSP Cuck w. adaptor | 42 |
| 880 | 1 | 344130800 | Grease FG 126 | 23 |
| 890 | 1 | 344130560 | Grease SF 011 50Gr 1,8oz | 28 |
| 1001 | 1 | 338504130 | Diagram | |

