



Position	Amount	Type number	Description	PG
1	1	343395460	Eye shield	13
2	1	342200570	Protective strap	10
3	1	338052610	Rating plate	10
4	9	141116020	Self-tap fill h screw	12
5	1	343394880	Housing w.cover	30
6	1	343408860	Electronic switch,120 V	29
7	2	344497830	Strand compl.	11
8	1	343254560	Suppressor	11
9	1	344101140	Cable sleeve	13
10	1	344492750	Cable with UL-CSA-plug	23
11	1	141164050	Cylindrical pin	10
12	1	341070660	Guide piece top	11
13	1	141181810	Circlip	10
14	1	341002610	Needle bearing	23
15	2	143111430	Needle sleeve	17
16	1	316043990	Spur gear compl.	19
17	2	339133470	Balancing plate	19
18	1	339133460	Pressure lever	14
19	1	316044000	BEARING BRIDGE COMPL.	19
20	1	344098660	Rubber plug	10
21	1	343380060	Cover brush	10
22	1	143113400	Ball bearing, 8x22x7	22
23	1	310009620	Armature compl.,120V	35
24	2	316043500	Brush holder compl.,120V	18
25	1	143115660	Ball bearing, 6x19x6	13
26	1	311011070	Field coil compl.,120V	26
27	1	342050890	Flat spring	10
28	1	316043630	Ram welded	20
30	1	343396530	Latch Key	10
31	1	339133920	Lever	11
32	1	341070720	Clamping piece	19
33	1	342003550	Tension spring	10
35	1	316043660	Ram compl.	23
36	1	141164040	Cylindrical pin	10
37	1	316043470	Supporting lever compl.	20
38	1	341520190	Cylindrical pin	11
39	1	141131370	Square nut	10
40	1	339129310	position plate	10
41	1	343395450	Slide	10
42	1	342022190	Stop spring	10
43	2	344091420	Rubber plug	10

44	1	344092550	Rubber stopper	10
45	1	343395480	Anti-splintering insert	11
46	1	316043480	Base plate compl.	22
47	1	141122300	Cap screw	10
48	1	339133640	Champing claw	10
49	1	344161530	Hexagonal key	12
50	1	141163320	Cylindrical pin	10
51	1	316044010	Control knob compl.	19
52	1	399999990	Part not needed	
53	1	338122530	Indication label warning 50 x 16	10
880	1	344130930	Grease 50Gr 1,8oz	30
1001	1	338504880	Diagram	

