



Position	Amount	Type number	Description	PG
1	1	341703790	Cap screw	13
2	1	341031860	Clamping flange	18
3	1	344162850	TCT Sawblade	40
4	1	341031870	Clamping flange	17
5	4	341703840	Tap tite screw M 3 X 8	10
6	1	339132120	Retraining sheet	15
7	1	141119480	Fill. head screw(DIN 7985)	10
8	1	343391680	Guard lever	13
9	1	315415970	Pendulum guard - UL	31
10	1	342021920	Spring left	13
11	1	315415960	Saw housing	28
12	4	341703800	Fillister head screw plastite 4.0X18	10
13	1	341703810	Countersunk screw	11
14	1	339040870	Rubber ring	10
15	1	341703940	Allen head screw	12
16	1	399999990	Part not needed	
17	1	315415950	Saw housing	33
18	3	141120070	Fill. head screw	10
19	2	141130930	Hexagonal lock nut	10
20	1	141130650	Hexagonal lock nut	12
21	1	343390810	Exhaust nozzle	13
22	1	342003230	Pressure spring	10
23	1	343390190	Switch-on lock	14
24	1	316037980	Spindle lock	13
25	1	342003230	Pressure spring	10
26	1	343390200	Motor housing	35
27	13	141120340	Screw	10
28	1	343390210	Motor cover	20
29	1	343390440	Locking slide	11
30	1	339131890	Tulip contact	13
31	1	343407570	Switch	29
32	1	342021670	Spring clip	10
33	1	344097060	Rubber plug	10
34	1	316038050	Gear-box cpl.	44
35	1	316038060	Gear-box cpl.	48
36	4	341703880	Srew 4x18	10
37	1	341703830	Fillister head screw M 6X40	11
38	2	341100970	Thumb-nut	13
39	2	141150960	Washer	10
40	1	141116050	Truss head screw	12
41	1	341111920	Thumbscrew	13

42	1	342003240	Pressure spring	10
43	1	141130070	Hexagonal nut	10
45	1	141113200	Fillister head screw	10
46	1	141119960	Truss head screw	12
47	1	316037290	Guide plate cpl.	31
48	1	338119060	Metabo plate	12
49	1	338046450	Rating plate	11
50	1	331050740	Parallel guide	22
51	1	344161530	Hexagonal key	12
52	1	338116800	Indication label "KSA 18" USA/CDN	10
53	1	344097120	Rubber support	14
54	1	141150020	Washer	10
1001	1	338504290	Diagram	

